# R410A - SDS - ROGLA

Distributor reference edition

Source: E.P.S.E S.M.P.C, EU_SDS_EN_R410A.pdf
Source revision: 14 October 2026, version 1.0. UFI: TM00-T04S-G000-FT5T.

The supplier logo and reseller contact in section 1.3 are replaced by ROGLA as distributor. Technical content, hazard statements, pictograms, composition and the original emergency information are preserved. ROGLA does not represent itself as manufacturer or original author.

Document language: English (supplier text). No translation. The following 14 pages reproduce the source with the changes stated above.

General EU emergency number: 112. This general note does not replace the specialist emergency contact in section 1.4. The English source states no additional information for that section.

ROGLA GmbH
Siemensstraße 5, 59199 Bönen, Germany
+49 151 67605803 | info@rogla-gmbh.de

# R410A

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 9/20/2024 Revision date: 10/14/2026 Supersedes version of: 2/2/2026 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Trade name : R410A
UFI : TM00-T04S-G000-FT5T
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Refrigerant

#### 1.2.2. Uses advised against

Restrictions on use : Any use not specified in this section or in section 7.3

### 1.3. Details of the supplier of the safety data sheet

ROGLA GmbH - distributor
Siemensstraße 5, 59199 Bönen, Germany
+49 151 67605803 | info@rogla-gmbh.de

### 1.4. Emergency telephone number

No additional information available

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Gases under pressure : Compressed gas H280 Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects** Contains gas under pressure; may explode if heated.

### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS04

Signal word (CLP) : Warning
Hazard statements (CLP) : H280 - Contains gas under pressure; may explode if heated.
Precautionary statements (CLP) : P410+P403 - Protect from sunlight. Store in a well-ventilated place.
Extra phrases : For professional users only.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | |
|---|---|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | Difluoromethane (75-10-5) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Difluoromethane (75-10-5) |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|---|---|
| Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | Difluoromethane (75-10-5) |

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---|---|
| Pentafluoroethane | CAS-No.: 354-33-6<br>EC-No.: 206-557-8 | 50 – 60 | Press. Gas (Comp.), H280 |
| Difluoromethane | CAS-No.: 75-10-5<br>EC-No.: 200-839-4 | 50 – 60 | Flam. Gas 1A, H220<br>Press. Gas (Comp.), H280 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

| | |
|---|---|
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : None under normal conditions. Contact with the liquefied gas may cause frostbite. |
| Symptoms/effects after eye contact | : None under normal conditions. Contact with the liquefied gas may cause severe ocular lesions. |
| Symptoms/effects after ingestion | : None under normal conditions. |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

| | |
|---|---|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

### 5.2. Special hazards arising from the substance or mixture

| | |
|---|---|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : Contains gas under pressure; may explode if heated. Heating may cause an explosion. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. |

### 5.3. Advice for firefighters

| | |
|---|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

| | |
|---|---|
| General measures | : Do not handle until all safety precautions have been read and understood. Stop leak if safe to do so. No open flames. No smoking. |

#### 6.1.1. For non-emergency personnel

| | |
|---|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. |

#### 6.1.2. For emergency responders

| | |
|---|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. |

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

| | |
|---|---|
| For containment | : Stop leak without risks if possible. |
| Methods for cleaning up | : Ventilate area. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

| | | |
|---|---|---|
| Additional hazards when processed | : | Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : | Ensure good ventilation of the work station. Wear personal protective equipment. |
| Hygiene measures | : | Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

### 7.2. Conditions for safe storage, including any incompatibilities

| | | |
|---|---|---|
| Technical measures | : | Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : | Protect from sunlight. Store in a well-ventilated place. |
| Incompatible products | : | Strong acids. Strong bases. Oxidizing agent. |
| Incompatible materials | : | Heat sources. Sources of ignition. Direct sunlight. |
| Storage temperature | : | < 50 °C |
| Heat and ignition sources | : | Keep away from sources of ignition. |
| Special rules on packaging | : | Keep only in original container. |
| Packaging materials | : | Store always product in container of same material as original container. |

### 7.3. Specific end use(s)

See section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

| Monitoring methods | |
|---|---|
| Monitoring methods | Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. |

#### 8.1.3. Air contaminants formed

No additional information available 8.1.4.

#### DNEL and PNEC

| Pentafluoroethane (354-33-6) | |
|---|---|
| **DNEL/DMEL (Workers)** | |
| Long-term - systemic effects, inhalation | 16444 mg/m³ |
| **DNEL/DMEL (General population)** | |
| Long-term - systemic effects, inhalation | 1753 mg/m³ |
| **PNEC (Water)** | |
| PNEC aqua (freshwater) | 0.1 mg/l |
| PNEC aqua (intermittent, freshwater) | 1 mg/l |
| **PNEC (Sediment)** | |

| | |
|---|---|
| PNEC sediment (freshwater) | 0.6 mg/kg dwt |

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**
Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**
Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.
Avoid all unnecessary exposure. Wear recommended personal protective equipment.

**Personal protective equipment symbol(s):**



#### 8.2.2.1. Eye and face protection

**Eye protection:** eye protection (EN166)

#### 8.2.2.2. Skin protection

**Skin and body protection:**
Wear protective clothing: Long sleeved protective clothing. Wear foot protection

**Hand protection:**
Wear protective gloves

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

**Other information:**
PPE compliant with the recommended standards should be selected.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | Gas |
| Colour | : | Not available |
| Appearance | : | Clear, colorless gas. |
| Odour | : | Not available |
| Odour threshold | : | Not available |
| Melting point | : | Not applicable |
| Freezing point | : | Not applicable |
| Boiling point | : | Not available |
| Flammability | : | Not available |
| Lower explosion limit | : | Not available |
| Upper explosion limit | : | Not available |
| Flash point | : | Not applicable |
| Auto-ignition temperature | : | Not available |
| Decomposition temperature | : | Not available |
| pH | : | Not applicable |
| Viscosity, kinematic | : | Not applicable |
| Solubility | : | Not available |

| | | |
|---|---|---|
| Partition coefficient n-octanol/water (Log Kow) | : | Not available |
| Vapour pressure | : | Not available |
| Vapour pressure at 50°C | : | Not available |
| Density | : | Not applicable |
| Relative density | : | Not applicable |
| Relative vapour density at 20°C | : | Not available |
| Particle characteristics | : | Not applicable |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Combustible materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | | |
|---|---|---|
| Acute toxicity (oral) | : | Not classified |
| Acute toxicity (dermal) | : | Not classified |
| Acute toxicity (inhalation) | : | Not classified |
| | : | Not classified |
| Skin corrosion/irritation | : | Not classified |
| Serious eye damage/irritation | : | Not classified |
| Respiratory or skin sensitisation | : | Not classified |
| Germ cell mutagenicity | : | Not classified |

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not applicable

Aspiration hazard

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

| Pentafluoroethane (354-33-6) | |
|---|---|
| LC50 - Fish [1] | > 81.8 mg/l Oncorhynchus mykiss |
| LC50 - Fish [2] | 450 mg/l Oncorhynchus mykiss |
| EC50 - Crustacea [1] | > 97.9 mg/l Daphnia magna |
| EC50 72h - Algae [1] | > 114 mg/l Raphidocelis subcapitata |
| EC50 72h - Algae [2] | > 118 mg/l Raphidocelis subcapitata |
| NOEC chronic fish | 32 mg/l |

### 12.2. Persistence and degradability

| R410A | |
|---|---|
| Persistence and degradability | Not rapidly degradable |

| Pentafluoroethane (354-33-6) | |
|---|---|
| Persistence and degradability | Not rapidly degradable |

| Difluoromethane (75-10-5) | |
|---|---|
| Persistence and degradability | Not rapidly degradable |

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| Component | |
|---|---|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | Difluoromethane (75-10-5) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Difluoromethane (75-10-5) |

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

10/14/2026 (Revision date)

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|---|---|
| **14.1. UN number or ID umber** | | | | |
| UN 3163 | UN 3163 | UN 3163 | UN 3163 | UN 3163 |
| **14.2. UN proper shipping name** | | | | |
| LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane) | LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane) | Liquefied gas, n.o.s. (Pentafluoroethane ; Difluoromethane) | LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane) | LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane) |
| **Transport document description** | | | | |
| UN 3163 LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane), 2.2, (C/E) | UN 3163 LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane), 2.2 | UN 3163 Liquefied gas, n.o.s. (Pentafluoroethane ; Difluoromethane), 2.2 | UN 3163 LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane), 2.2 | UN 3163 LIQUEFIED GAS, N.O.S. (Pentafluoroethane ; Difluoromethane), 2.2 |
| **14.3. Transport hazard lass(es)** | | | | |

| | | | | |
|---|---|---|---|---|
| 2.2 | 2.2 | 2.2 | 2.2 | 2.2 |
|  |  |  |  |  |

**14.4. Packing group**

| | | | | |
|---|---|---|---|---|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

**14.5. Environmental hazards**

| | | | | |
|---|---|---|---|---|
| Dangerous for the environment: No | Dangerous for the environment: No<br>Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |

No supplementary information available

**14.6. Special precautions for user**

**Overland transport**

| | | |
|---|---|---|
| Classification code (ADR) | : | 2A |
| Special provisions (ADR) | : | 274, 392, 662 |
| Limited quantities (ADR) | : | 120ml |
| Excepted quantities (ADR) | : | E1 |
| Packing instructions (ADR) | : | P200 |
| Mixed packing provisions (ADR) | : | MP9 |
| Portable tank and bulk container instructions (ADR) | : | (M), T50 |
| Tank code (ADR) | : | PxBN(M) |
| Tank special provisions (ADR) | : | TA4, TT9 |
| Vehicle for tank carriage | : | AT |
| Transport category (ADR) | : | 3 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : | CV9, CV10, CV36 |
| Hazard identification number (Kemler No.) | : | 20 |
| Orange plates | : |  |
| Tunnel restriction code (ADR) | : | C/E |

**Transport by sea**

| | | |
|---|---|---|
| Special provisions (IMDG) | : | 274, 392 |
| Limited quantities (IMDG) | : | 120 ml |
| Excepted quantities (IMDG) | : | E1 |

| | | |
|---|---|---|
| Packing instructions (IMDG) | : | P200 |
| Tank instructions (IMDG) | : | T50 |
| EmS-No. (Fire) | : | F-C |
| EmS-No. (Spillage) | : | S-V |
| Stowage category (IMDG) | : | A |

### Air transport

| | | |
|---|---|---|
| PCA Excepted quantities (IATA) | : | E1 |
| PCA Limited quantities (IATA) | : | Forbidden |
| PCA limited quantity max net quantity (IATA) | : | Forbidden |
| PCA packing instructions (IATA) | : | 200 |
| PCA max net quantity (IATA) | : | 75kg |
| CAO packing instructions (IATA) | : | 200 |
| CAO max net quantity (IATA) | : | 150kg |
| ERG code (IATA) | : | 2L |

### Inland waterway transport

| | | |
|---|---|---|
| Classification code (ADN) | : | 2A |
| Special provisions (ADN) | : | 274, 392, 662 |
| Limited quantities (ADN) | : | 120 ml |
| Excepted quantities (ADN) | : | E1 |
| Equipment required (ADN) | : | PP |
| Number of blue cones/lights (ADN) | : | 0 |

### Rail transport

| | | |
|---|---|---|
| Classification code (RID) | : | 2A |
| Special provisions (RID) | : | 274, 392, 662 |
| Limited quantities (RID) | : | 120ml |
| Excepted quantities (RID) | : | E1 |
| Packing instructions (RID) | : | P200 |
| Mixed packing provisions (RID) | : | MP9 |
| Portable tank and bulk container instructions (RID) | : | T50(M) |
| Tank codes for RID tanks (RID) | : | PxBN(M) |
| Special provisions for RID tanks (RID) | : | TA4, TT9, TM6 |
| Transport category (RID) | : | 3 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : | CW9, CW10, CW36 |
| Colis express (express parcels) (RID) | : | CE3 |
| Hazard identification number (RID) | : | 20 |

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|---|---|---|
| **Reference code** | **Applicable on** | **Entry title or description** |

| | | |
|---|---|---|
| 40. | Difluoromethane | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

**REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

**REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

**PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

**Ozone Regulation (1005/2009)**

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

**Council Regulation (EC) for the control of dual-use items**

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

**Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

**Abbreviations and acronyms:**

| | |
|---|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |

| | |
|---|---|
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |

| **Abbreviations and acronyms:** | |
|---|---|
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

| **Full text of H- and EUH-statements:** | |
|---|---|
| Flam. Gas 1A | Flammable gases, Category 1A |
| H220 | Extremely flammable gas. |
| H280 | Contains gas under pressure; may explode if heated. |

| | |
|---|---|
| Press. Gas (Comp.) | Gases under pressure : Compressed gas |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.